



- Hinges Hasps Padlock Eyes Barrels Bolts Door Handles Door Accessories Handles
- Latches Padlocks & Lock Boxes Push Button Latches Steering Wheels Engine Controls

# Cabinet Hardware

10 pr

## SHORT SIDE DOOR HINGE Stamped 304 Stainless Steel

							►B	◀-	
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pad
201020	201020-1	2"	11/16"	1-5/16"	1-1/2"	1/16"	#8 FH	.05 / .10	10 ea / 1

This Short Side Door Hinge is great for interior and exterior applications such as cabinets, hatches, folding tables, or seats where mounting space is tight. Constructed of corrosion resistant stamped 304 stainless steel. Installs with five #8 FH fasteners (not included).



#### Stamped 3

OFFSE

Bulk 201025

<b>T SHORT SI</b> 1 304 Stainless St		)R HINGE					•		
Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
201025-1	2"	5/8"	1-3/8"	1-1/2"	1/16"	3/8"	#8 FH	.10 / .20	10 ea / 10 pr

This Offset Short Side Door Hinge is great for interior and exterior applications such as cabinets, hatches, folding tables, or seats where mounting space is tight. Designed to be mounted on the front surface of a raised door. Constructed of corrosion resistant stamped 304 stainless steel. Installs with five #8 FH fasteners (not included).

DOOR H Stamped 3	IINGE 304 Stainless St	teel						<del>  </del> -	E_ ●_++ ↓
Bulk	Display	Α	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
201030	201030-1	2-3/4"	1-3/8"	1-3/8"	1-1/2"	1/16"	#8 FH	.07 / .14	10 ea / 10 pr

These Door Hinges are constructed of corrosion resistant stamped 304 stainless steel to withstand the harsh marine environment. Installs with six #8 FH fasteners (not included).



# **BUTT HINGE** Stamped 304 Stainless Steel

Stamped	504 Stanness S	leei						● ▼ ● ▼	<u>V</u> @
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
201070	201070-1	1-1/4"	5/8"	5/8"	1-1/2"	1/16"	#8 FH	.03 / .06	10 ea / 10 pr
201071	201071-1	1-1/2"	3/4"	3/4"	2"	1/16"	#8 FH	.06 / .12	10 ea / 10 pr
201072	201072-1	2"	1"	1"	2"	1/16"	#8 FH	.07 / .14	10 ea / 10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. Designed to be mortised for a flush installation. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).

	>

## RIITT HINGE

Stamped 3	304 Stainless S	teel							
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
201080	201080-1	2"	1"	1"	3"	1/16"	#8 FH	.11 / .22	10 ea / 10 pr
201081	201081-1	3"	1-1/2"	1-1/2"	3"	1/16"	#8 FH	.16 / .32	10 ea / 10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. Designed to be mortised in for a flush installation. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).

E

◄∧►

θ

e . . . . .



These Strap Hinges consist of two long narrow leaves extending from a single knuckle. Commonly used for surface mounting dock box lids, fish holds, etc. They are good for outdoor applications where the hinges will be in frequent use. Constructed of corrosion resistant stamped 304 stainless steel. Installs with #8 fasteners (not included).



These Short Side Door Hinges are great for interior and exterior applications such as cabinets, hatches, folding tables, or seats where mounting space is tight. Constructed of corrosion resistant stamped 304 stainless steel. Installs with five #8 FH fasteners (not included).





These Door Hinges are constructed of corrosion resistant stamped 304 stainless steel to withstand the harsh marine environment. Installs with six #8 FH fasteners (not included).



This Flush Door Hinge features a knuckle that sits below the mounting surface, creating a smooth, flat design perfect for deck surfaces or where lines might snag. In door applications, they fit flush with the frame and are completely invisible in the closed position giving cabinet fronts a sleek, clean look. 100° degrees of motion. Ideal for recessed deck hatches or lids. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).



This Long Flush Two Pin Hinge opens 180°, making it ideal for folding tables or doors that must fold back flat. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #6 FH fasteners (not included).





Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
201551	201551-1	3"	1-1/2"	1-1/2"	1-1/2"	1/16"	180°	#8 FH	.13 / .26	10 ea / 10 pr

This Flush Two Pin Hinge opens 180°, making it ideal for folding tables or doors that must fold back flat. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).

#### **ROUND SIDE TWO PIN HINGE**

Stamped 304 Stainless Steel



Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
201554	201554-1	2"	1"	1"	1-1/2"	1/16"	180°	#8 FH	.10 / .20	10 ea / 10 pr
201555	201555-1	3"	1-1/2"	1-1/2"	1-1/2"	1/16"	180°	#8 FH	.12 / .24	10 ea / 10 pr

These Round Side Two Pin Hinges open 180°, making them ideal for folding tables or doors that must fold back flat. Good for use in tight spaces. Constructed of corrosion resistant stamped 304 stainless steel. Installs with #8 FH fasteners (not included).



## **OFFSET SHORT SIDE DOOR HINGE**

Stamped 304 Stainless Steel



- Ito A →

Bulk	Display	A	В	C	D	Ε	F	Fastener	Wt.(lb.)	Std. Pack
201570	201570-1	2-3/4"	3/4"	2"	1-1/2"	3/8"	1/16"	#8 FH	.12 / .24	10 ea / 10 pr
201572	201572-1	2-1/2"	5/8"	1-7/8"	1-1/2"	3/4"	1/16"	#8 FH	.13 / .26	10 ea / 10 pr

These Offset Short Side Door Hinges are designed to allow more open access by moving the pivot point of the door further away from the hinge. This simple solution provides extra clearance while avoiding the need to create a larger opening by installing a new door frame. Surface mounted on the front side of a raised door, they are used where the hinge does not need to be concealed. Constructed of corrosion resistant 304 stamped stainless steel. Installs with five #8 FH fasteners (not included).



## BUTT HINGE

Stamped 3	NGE 04 Stainless S	teel							
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
201580	201580-1	1-3/8"	11/16"	11/16"	1-1/2"	1/16"	#8 FH	.08 / .16	10 ea / 10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. Usually mortised or recessed into both surfaces they are joined together by a hinge pin. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



#### BUTT HINGE Stamped 304 Stainless Steel C Bulk Wt.(lb.) Std. Pack Display R C Fastener 201582 201582-1 2" 1" 1" 2" 1/16" #8 FH .09/.18 10 ea/10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. Usually mortised or recessed into both surfaces they are joined together by a hinge pin. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



## TAKE-APART HINGE

Stamped 304 Stainless Steel



Bulk	Display	A	В	C	D	E	Side	Fastener	Wt.(lb.)	Std. Pack
201585	n/a	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Right	#10 FH	.07	10 ea
201586	n/a	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Left	#10 FH	.07	10 ea

Take-Apart Hinges allow a door or lid to be removed after installation without having to remove the fasteners. Designed for situations where occasional removal may be required for easy stowing or cleaning. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #10 FH fasteners (not included). Right side hinge (201585) pictured.



These Offset Butt Hinges are designed to be mounted on the front surface of a raised door with a 3/8" offset on one side. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



HEAVY DUTY STRAP HINGE Stamped 304 Stainless Steel

Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
201620	201620-1	7-1/8"	3-9/16"	3-9/16"	1-5/8"	1/16"	#8 FH	.23 / .46	10 ea / 10 pr

This Heavy Duty Strap Hinge consists of two long narrow leaves of equal length extending from a single knuckle. Commonly used for gates, dock box lids, fish holds, etc. They are good for outdoor applications where the hinges will be used frequently. Constructed of corrosion resistant stamped 304 stainless steel. Surface mounted with eight #8 fasteners (not included).



This Short Round Side Door Hinge is ideal for cabinet doors in tight spaces. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



This Medium Round Side Door Hinge is ideal for cabinet doors. Constructed of corrosion resistant stamped 304 stainless steel. Installs with five #8 FH fasteners (not included).

SEPPOGLINE



## ROUND SIDE DOOR HINGE - LONG

Stamped 304 Stainless Steel



				Fastener	Wt.(lb.)	Sta. Pack
<b>201720 201720-1</b> 5-3/8" 2-11/16"	2-11/16"	1-1/2"	1/16"	#8 FH	.17 / .34	10 ea / 10 pr

This Long Round Side Door Hinge is ideal for cabinet doors. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).





Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
201725	201725-1	5-3/8"	2-11/16"	2-11/16"	1-1/2"	1/16"	100°	#8 FH	.16 / .32	10 ea / 10 pr

This Flush Mount Round Side Door Hinge features a knuckle that sits below the mounting surface, creating a smooth, flat design perfect for deck surfaces or where lines might snag. In door applications, they fit flush with the frame and are completely invisible in the closed position giving cabinet fronts a sleek, clean look. 100° of motion. Ideal for recessed deck hatches or lids. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).



# OFFSET HEAVY DUTY HINGE Stamped 304 Stainless Steel

Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
201730	201730-1	5-1/4"	1-5/8"	3-5/8"	1-13/16"	1/16"	1-1/4"	#8 FH	.30 / .60	5 ea / 5 pr

These Offset Heavy Duty Hinges are designed to allow more open access by moving the pivot point of the door further away from the hinge. Designed to be surface mounted on the front side of a raised door. Used in applications where the hinge does not need to be concealed. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #8 FH fasteners (not included).



#### SHORT SIDE DOOR HINGE E Stamped 304 Stainless Steel Fastener Bulk Display Wt.(lb.) Std. Pack В C n E 201750 201750-1 6" 1-1/2" 4-1/2" 2-1/4" 1/16" #10 FH .15/.30 10 ea/10 pr

This Short Side Door Hinge is great for interior and exterior applications. Designed to be used where mounting space is tight on one side, but added weight would make a longer bracket beneficial on the other. Frosted finish. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six #10 FH fasteners (not included).



HEAVY DUTY HINGE

Stamped 304 Stainless Stee

	inped 50	+ Jtanness Ste							<u>↓</u>	<del>_</del>
Bu	lk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
20	1800	201800-1	2-7/8"	1-7/16"	1-7/16"	2-3/8"	1/16"	#12 FH	.18/.36	10 ea / 10 pr
20	1801	201801-1	2-7/8"	1-7/16"	1-7/16"	2-15/16"	1/16"	#12 FH	.22 / .44	10 ea / 10 pr
20	1805	201805-1	6"	3"	3"	2-15/16"	1/16"	1/4" FH	.19/.37	10 ea / 10 pr

These Heavy Duty Hinges are constructed of corrosion resistant stamped 304 stainless steel to withstand the harsh marine environment. Installs with FH fasteners (not included).



E⊥



#### SEMI-CONCEALED HINGE

Stamped 304 Stainless Steel or Polished Brass



Bulk	Display	Α	В	C	D	E	F	Material	Wt.(lb.)	Std. Pack
201914	201914-1	2-3/16"	2-3/4"	1/16"	1-1/2"	3/8"	1/2"	Stainless	.08 / .16	10 ea / 10 pr
201915	201915-1	2-3/16"	2-3/4"	1/16"	1-1/2"	3/8"	1/2"	Brass	.08 / .16	10 ea / 10 pr
201916	201916-1	2-3/16"	2-3/4"	1/16"	1-1/2"	3/8"	9/16"	Stainless	.08 / .16	10 ea / 10 pr

Semi-Concealed Hinges are mounted on the back surface of a door with a corresponding 3/8" offset mortised into the edge of the door. Constructed of corrosion resistant stamped 304 stainless steel or polished brass. Installs with five #6 RH screws (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Flush Mount Concealed Hinges are designed to keep the hinge out of sight when the door is closed. Constructed of corrosion resistant stamped 304 stainless steel. Installs with five #6 FH fasteners (not included).





This Soft Close Concealed Hinge is designed to keep the hinge out of sight when the door is closed. Silent and smooth closure. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These economical Short Side Door Hinges are great for interior and exterior applications such as cabinets, hatches, folding tables, or seats where mounting space is tight. Constructed of UV resistant injection molded fiberglass nylon with a corrosion resistant stainless steel pin. Installs with five #8 FH fasteners (not included). Can be used in conjunction with a Backing Plate (202539) for added rigidity and strength.

• Available in custom colors for large volume orders.





#### **DOOR HINGE**

Injection Molded Fiberglass Nylon/Stainless Steel Pin



Bulk	Display	A	В	C	D	Ε	Color	Fastener	Wt.(lb.)	Std. Pack
202530	202530-1	3"	1-1/2"	1-1/2"	1-3/8"	3/16"	Black	#8 FH	.04 / .08	10 ea / 10 pr
202531	202531-1	3"	1-1/2"	1-1/2"	1-3/8"	3/16"	White	#8 FH	.04 / .08	10 ea / 10 pr

These Door Hinges are great for interior and exterior applications. Constructed of UV resistant injection molded fiberglass nylon with a corrosion resistant stainless steel pin. Installs with six #8 FH fasteners (not included). Can be used in conjunction with a Backing Plate (202539) for added rigidity and strength.

• Available in custom colors for large volume orders.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### **BACKING PLATE FOR DOOR HINGE**

Injection Molded Fiberglass Nylon



Bulk	Display	Α	В	C	D	E	Wt.(lb.)	Std. Pack
202539	n/a	1-1/4"	1-3/8"	1/4"	11/32"	3/16"	.01	20 ea
These Bac	king Plates a	re ideal for use o	on thick hatch co	vers which ma	v break when usir	og nuts and wash	ers alone For	use where

more rigidity and strength are required. Constructed of UV resistant injection molded fiberglass nylon. Installs with three hex nuts. This part can be used with 202510, 202511, 202530, 202531, 205310, & 205350.

• Available in custom colors for large volume orders.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## BUTT HINGE Injection Molded Fiberglass Nylon/Stainless Steel Pin

Bulk	Display	A	В	C	D	E	Color	Fastener	Wt.(lb.)	Std. Pack
202580	202580-1	1-1/2"	3/4"	3/4"	1-3/8"	3/16"	Black	#8 FH	.03 / .06	10 ea / 10 pr
202581	202581-1	1-1/2"	3/4"	3/4"	1-3/8"	3/16"	White	#8 FH	.03 / .06	10 ea / 10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. Usually mortised or recessed into both surfaces, they are joined together by a hinge pin. Constructed of UV resistant injection molded fiberglass nylon with a corrosion resistant stainless steel pin. Installs with four #8 FH fasteners (not included).

• Available in custom colors for large volume orders.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





204278 204278-1 3-7/8' 1-15/16' 2" 3/16' Left #10 FH 1-15/16" .36 / .72 10 ea / 10 pr 2" 204279 3-7/8" .36 / .72 10 ea / 10 pr 204279-1 1-15/16" 1-15/16' 3/16" Right #10 FH These Take-Apart Hinges allow a door or lid to be removed after installation without having to remove the fasteners. Designed

for situations where occasional removal may be required for easy stowing or cleaning. These chrome plated forged brass hinges can be used horizontally or vertically. Surface mounts with four #10 FH fasteners (not included). Left side hinge (204278) pictured.



## HATCH HINGE

**Cabinet Hardware** 

Forged Brass Chrome Plated



Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
204280	204280-1	2-1/2"	1-1/4"	3"	1/4"	#10 FH	.55	10 ea
0P20401	n/a	Replacemen	it Clevis Pin and S	plit Ring	-	-	.02	10 ea

This Hatch Hinge features a removable clevis pin with split ring for easy separation. Designed with stop to hold hatch in upright position when open. Constructed of chrome plated forged brass for corrosion resistance and durability. Installs with seven #10 FH fasteners (not included). Sold Individually.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Bulk	Display	A	В	C	D	E	Finish	Side	Wt.(lb.)	Std. Pack
204510	204510-1	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Chrome	Right	.07 / .14	10 ea / 10 pr
204511	204511-1	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Brass	Right	.07 / .14	10 ea / 10 pr
204515	204515-1	1-1/2"	3/4"	3/4"	2"	1/16"	Chrome	Right	.09/.18	10 ea / 10 pr
204516	204516-1	1-1/2"	3/4"	3/4"	2"	1/16"	Brass	Right	.09/.18	10 ea / 10 pr
204520	204520-1	1-1/2"	3/4"	3/4"	2-3/4"	1/16"	Chrome	Right	.14 / .28	10 ea / 10 pr
204521	204521-1	1-1/2"	3/4"	3/4"	2-3/4"	1/16"	Brass	Right	.14 / .28	10 ea / 10 pr
204510L	204510L-1	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Chrome	Left	.07 / .14	10 ea / 10 pr
204511L	204511L-1	1-1/2"	3/4"	3/4"	1-1/2"	1/16"	Brass	Left	.07 / .14	10 ea / 10 pr
204515L	204515L-1	1-1/2"	3/4"	3/4"	2"	1/16"	Chrome	Left	.09 / .18	10 ea / 10 pr
204516L	204516L-1	1-1/2"	3/4"	3/4"	2"	1/16"	Brass	Left	.09 / .18	10 ea / 10 pr
204520L	204520L-1	1-1/2"	3/4"	3/4"	2-3/4"	1/16"	Chrome	Left	.14 / .28	10 ea / 10 pr
204521L	204521L-1	1-1/2"	3/4"	3/4"	2-3/4"	1/16"	Brass	Left	.14 / .28	10 ea / 10 pr

Take-Apart Butt Hinges allow a door or lid to be removed after installation without having to remove the fasteners. Designed for situations where occasional removal may be required for easy stowing or cleaning. Great for use on hatches, doors, dining table leaves, engine covers, chart tables, & ladders. Can be used horizontally or vertically. Use two left hand or two right hand hinges for quick removal, no tools required, or use a left and a right together as a heavy duty non-take-apart hinge set. Constructed of cast brass with a plain polished or chrome plated finish. Surface mounts with #6 FH fasteners (not included). Right side hinges pictured. 204510(L) & 204511(L) have 4 holes, 204515(L) & 204516(L) have 6 holes, and 204520(L) & 204521(L) have 8 holes.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### REMOVABLE PIN BUTT HINGE

Cast Brass or Chrome Plated Brass



Bulk	Display	A	В	C	D	Ε	Finish	Holes	Wt.(lb.)	Std. Pack
204610	n/a	1-5/8"	13/16"	13/16"	1-5/8"	1/16"	Chrome	4	.08	10 ea
204611	n/a	1-5/8"	13/16"	13/16"	1-5/8"	1/16"	Brass	4	.08	10 ea
204620	204620-1	2"	1"	1"	2"	1/16"	Chrome	4	.13 / .26	10 ea / 10 pi
204621	204621-1	2"	1"	1"	2"	1/16"	Brass	4	.13 / .26	10 ea / 10 p
204630	204630-1	2-1/2"	1-1/4"	1-1/4"	2-1/2"	1/16"	Chrome	6	.25 / .50	10 ea / 10 p
204631	204631-1	2-1/2"	1-1/4"	1-1/4"	2-1/2"	1/16"	Brass	6	.25 / .50	10 ea / 10 p

These Removable Pin Butt Hinges are designed to be mortised in for a flush installation between door and door jamb. They feature a removable pin for applications where occasional removal may be required for easy stowing or cleaning. Constructed of cast brass with a plain polished or chrome plated finish. Installs with either four #6 or six #8 FH fasteners (not included). 204610, 204611, 204620, and 204621 use #6 fasteners. 204630 and 204631 use #8 fasteners.





#### **BUTT HINGE**

Investment Cast 316 Stainless Steel

Bulk	Display	A	В	C	D	Ε	Fastener	Wt.(lb.)	Std. Pack
205140	205140-1	1-5/8"	13/16"	13/16"	1-1/2"	3/16"	#10 FH	.04 / .08	10 ea / 10 pr
205142	205142-1	1-15/16"	15/16"	15/16"	1-15/16"	3/16"	#10 FH	.06 / .12	10 ea / 10 pr

These Butt Hinges consist of two rectangular leaves that attach to the abutting surfaces of a door and door jamb. They are usually mortised in and joined together by a hinge pin. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #10 FH fasteners (not included).



#### HEAVY DUTY BUTT HINGE - TOP PIN/COMMERCIAL PATTERN Investment Cast 316 Stainless Steel



Bulk	Display	Α	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205225	n/a	4"	2"	2"	4-1/2"	3/16"	1/4" FH	1.50	2 ea
205227	n/a	5-1/2"	2-3/4"	2-3/4"	4-1/2"	3/16"	1/4" FH	1.75	2 ea

These Heavy Duty Butt Hinges with Top Pins are designed for applications where extra strength is required. The integral nylon bearings promote rattle-free, silent movement and give the hinge a smoother action. Commercial ANSI template screw hole pattern. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight 1/4" FH fasteners (not included).

	DUTY BUT at Cast 316 St	-	- TOP PII	N					E <u>→ 0=‡=‡</u> )
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205228	n/a	6"	3"	3"	6"	3/16"	1/4" FH	2.05	2 ea

This Heavy Duty Butt Hinge with Top Pin is designed for applications where extra strength is required. The integral nylon bearings promote silent, rattle-free movement and give the hinge a smoother action. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with ten 1/4" FH fasteners (not included).

	)UTY BUT Cast 316 St	-	-	N W/ADJU	STMENT SL	OTS			
Bulk	Display	Α	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
20522501	n/a	Δ"	2"	2"	4-1/2"	3/16"	1/4" FH	1.50	2 ea

This Heavy Duty Butt Hinge with Top Pin is designed for applications where extra strength is required. The integral nylon bearings promote silent, rattle-free movement and give the hinge a smoother action. Slots used for installation adjustment purposes. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with ten 1/4" FH fasteners (not included).



These Heavy Duty Butt Hinges with Center Pins are designed to fold flat. For applications where extra strength is required. The integral nylon bearings promote rattle-free, silent movement and give the hinge a smoother action. Commercial ANSI template screw hole pattern. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight 1/4" FH fasteners (not included).



## HEAVY DUT Investment Cas





## Cabinet Hardware



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205238	n/a	6"	3"	3"	6"	3/16"	1/4" FH	2.29	2 ea

This Heavy Duty Butt Hinge with Center Pin is designed to fold flat. For applications where extra strength is required. The integral nylon bearings promote rattle-free, silent movement and give the hinge a smoother action. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with ten 1/4" FH fasteners (not included).



This Heavy Duty Butt Hinge with Center Pin is designed to fold flat. Slots used for installation adjustment purposes. For applications where extra strength is required. The integral nylon bearings promote rattle-free, silent movement and give the hinge a smoother action. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with ten 1/4" FH fasteners (not included).



#### BUTT HINGE WITH BEARINGS/COMMERCIAL PATTERN

Investment Cast 316 Stainless Steel



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205242	n/a	3"	1-1/2"	1-1/2"	3"	1/8"	1/4" FH	.50	2 ea
205243	n/a	3"	1-1/2"	1-1/2"	4"	1/8"	1/4" FH	.57	2 ea
205244	n/a	4"	2"	2"	4"	1/8"	1/4" FH	.72	2 ea
205246	n/a	5"	2-1/2"	2-1/2"	5"	1/8"	1/4" FH	1.07	2 ea

These Butt Hinges with Bearings are designed to disperse weight, compensating for heavier doors and increased use. For applications where extra strength is required. The integral nylon bearings promote rattle-free, silent movement and give the hinge a smoother action. Commercial ANSI template screw hole pattern. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with 1/4" FH fasteners (not included).



Take-Apart Hinges allow a door or lid to be removed after installation without having to remove the fasteners. Designed for applications where occasional removal may be required for easy stowing or cleaning. Can be used horizontally or vertically. Constructed of corrosion resistant investment cast 316 stainless steel. Surface mounts with four #10 FH fasteners (not included). Left side hinge (205270) pictured.



Locking Take-Apart Hinge is left sided only. Designed for a door or lid to be removed when in the fully open (folded back) position without removing fasteners. For applications where occasional removal may be required for easy stowing or cleaning. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #10 FH fasteners (not included).





#### HATCH HINGE

Investment Cast 316 Stainless Steel

		B B
Fastener	Wt.(lb.)	Std. Pack

Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack	
205280	205280-1	2-5/8"	1-1/4"	2-7/8"	1/4"	#10 FH	.60	10 ea	
0P20501	n/a	Replacemer	eplacement Clevis Pin and Split Ring						

This Hatch Hinge features a removable clevis pin with split ring for easy separation. Includes stop to hold hatch in upright position when open. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight #10 FH fasteners (not included). Sold Individually.



#### HATCH HINGE WITH REMOVABLE PIN Investment Cast 316 Stainless Steel





Bulk	Display	Α	В	C	D	Fastener	Wt.(lb.)	Std. Pack
205280R	n/a	2-5/8"	1-1/4"	2-7/8"	1/4"	#10 FH	.61	10 ea
0P20502	n/a	Replacemer	it Removable Pin	.04	10 ea			

This Hatch Hinge features a quick release removable pin for easy separation. Includes stop to hold hatch in upright position when open. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight #10 FH fasteners (not included). Sold Individually, Toggle style removable pin (0P20502) optional replacement for all Sea-Dog® hatch hinges.



## ANGLE BASE HATCH HINGE

Investment Cast 316 Stainless Steel								
Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
205282	205282-1	2-1/16"	1-1/8"	2-15/16"	3/16"	#10 FH	.41	10 ea
0P20501	n/a	Replacement	t Clevis Pin and S	plit Ring			.02	10 ea

This Angle Base Hatch Hinge features a removable clevis pin with split ring for easy separation. For use where a hinge is needed in a variable angle. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight #10 FH fasteners (not included). Sold Individually.



#### LONG REACH HATCH HINGE

Investment Cast 316 Stainless Steel

						-A		I
Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
205285	205285-1	3-1/2"	1-1/4"	2-7/8"	1/4"	#10 FH	.62	10 ea
0P20501	n/a	Replacemen	t Clevis Pin and S	plit Ring			.02	10 ea

This Long Reach Hatch Hinges feature a removable clevis pin with split ring for easy separation. Particularly suited for wider doors or hatches where a greater spread is required. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with eight #10 FH fasteners (not included). Sold Individually.





This Ladder Hinge is designed for boat ladders, but may be used anywhere a long hinge with a strong hinge knuckle is needed. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four 1/4" FH fasteners (not included).



В

## SHORT SIDE DOOR HINGE

**Cabinet Hardware** 

Investment Cast 316 Stainless Steel





Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205310	205310-1	2-3/8"	7/8"	1-1/2"	1-1/2"	3/16"	#10 FH	.16 / .32	10 ea / 10 pr
205320	205320-1	2-7/8"	3/4"	2-1/8"	1-1/2"	3/16"	#10 FH	.18/.36	10 ea / 10 pr

These Short Side Door Hinges are great for interior and exterior applications such as cabinets, hatches, folding tables, or seats where mounting space is tight. Constructed of corrosion resistant investment cast 316 stainless steel. They are practically indestructible! Installs with five #10 FH fasteners (not included). 205310 can be used in conjunction with Backing Plate (202539) for added rigidity and strength.







Bulk	Display	A	В	C	D	Ε	F	Fastener	Wt.(lb.)	Std. Pack
205350	205350-1	2-1/8"	5/8"	1-1/2"	1-1/2"	3/16"	5/16"	#10 FH	.16 / .32	10 ea / 10 pr

This Offset Door Hinge features one side with a 5/16" offset and is designed to be mounted on the front surface of a raised door. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with five #10 FH fasteners (not included). Can be used in conjunction with Backing Plate (202539) for added strength and rigidity.



## STRAP HINGE

Investment Cast 316 Stainless Steel



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205390	205390-1	4-1/8"	2-1/16"	2-1/16"	1"	3/16"	#10 FH	.16 / .32	10 ea / 10 pr
205400	205400-1	5-7/8"	2-15/16"	2-15/16"	1-1/8"	3/16"	#10 FH	.27 / .54	10 ea / 10 pr

These Strap Hinges consist of two long, narrow leaves of equal length extending from a single knuckle. Commonly used for gates, dock box lids, fish holds, etc. They are good for outdoor applications where the hinges will be in frequent use. Constructed of corrosion resistant investment cast 316 stainless steel. Surface mounts with four #10 fasteners (not included).



#### **DOOR HINGE** Investment Cast 316 Stainless Steel



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205410	205410-1	3"	1-1/2"	1-1/2"	1-1/2"	3/16"	#10 FH	.22 / .44	10 ea / 10 pr
205420	205420-1	4-1/8"	2-1/16"	2-1/16"	1-1/2"	3/16"	#10 FH	.27 / .54	10 ea / 10 pr

These Door Hinges are constructed of corrosion resistant investment cast 316 stainless steel. Installs with six #10 FH fasteners (not included). 205420 pictured.



This Round Door Hinge is constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #10 FH fasteners (not included).





Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205520	n/a	1-3/4"	1-3/16"	3/8"	9/16"	15/16"	#8 FH	.14	10 ea
205540	n/a	2-3/4"	1-3/16"	3/8"	1-1/4"	15/16"	#8 FH	.18	10 ea

These Hidden Fastener Hinges mount from the underside of the hatch for a clean, smooth look. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with five #8 FH fasteners (not included).



#### T-HINGE

Investment Cast 316 Stainless Steel



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
205705	205705-1	4"	1-1/2"	2-1/2"	2-3/8"	1/8"	#8 FH	.17 / .34	10 ea / 10 pr
205710	205710-1	6"	1-3/4"	4-1/4"	3-1/8"	1/8"	#10 FH	.37 / .74	10 ea / 10 pr

A T-Hinge is a hybrid combination between a butt and strap hinge. The horizontal part of the T goes on the frame, while the vertical part is fastened to the door or cabinet and is visible when closed. This highly decorative and functional hinge is flush mounted (not recessed) and can be used on doors, cabinets, dock boxes, ice chests, etc. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with seven FH fasteners (not included).



DOOR HINGE Die Cast Zinc Chrome Plated	
Bulk Display A B C D E Fast	ener Wt.(lb.) Std. Pack
<b>206530 206530-1</b> 2-7/8" 1-7/16" 1-7/16" 1-1/2" 3/16" #8 F	H .10 / .20 10 ea / 10 pr

This Door Hinge is an economical option. Constructed of chrome plated die cast zinc. Installs with six #8 FH fasteners (not included). Recommended for freshwater applications.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### LIFT GATE BUTT HINGE Aluminum I FF RIGH Bulk Side Std. Pack Display C D Fastener Wt.(lb.) В 207730 207730-1 2-1/2" 1-1/4" 1-1/4" 2-3/4' 1/8' Left #10 RH .11 / .22 10 ea / 10 pr 207735 207735-1 2-1/2" 1-1/4" 1-1/4" 1/8' #10 RH 2-3/4" Right .11 / .22 10 ea / 10 pr

This Lift Gate Butt Hinge is constructed of aluminum with nylon washers for quiet movement and smooth operation. Installs with six #10 RH fasteners (not included).



)	ATTLE LAT( t Cast 316 Sta							
Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
221100	221100-1	3"	3/4"	1/4"	1-1/2"	#10 FH	.15	10 ea / 5 ea

Anti-Rattle Latch features an open-mount, center-tensioning cam latch for a tight, no-rattle seal. Ideal for cabinets, doors, and hatches. Latch also features a locking hole that will accept a padlock with up to a 1/4" diameter shank. Constructed of corrosion resistant investment cast 316 stainless steel. Surface mounts with four #10 FH fasteners (not included).



HASP



Stamped 304 Stainless Steel

Bulk	Display	Α	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221120	221120-1	2-11/16"	2-1/16"	1-1/16"	11/16"	5/16"	#6 FH	.09	10 ea
221124	221124-1	3-11/16"	3-1/16"	1-1/16"	11/16"	5/16"	#6 FH	.11	10 ea
221126	221126-1	4-1/2"	3-7/8"	1-1/16"	11/16"	5/16"	#6 FH	.13	10 ea

These Hasps are designed with a slotted plate that fits over a fixed post. Prevents removal when used in conjunction with a padlock. For added security, all mounting screws are concealed when hasp is closed. Ideal for use on doors, cabinets, dock boxes, and lockers. Constructed of corrosion resistant stamped 304 stainless steel. Installs with eight #6 FH fasteners (not included).





Std. Pack Bulk Fastener Wt.(lb.) Display 221127 221127-1 1-3/16' 1/2 #6 FH 2-11/16" 1-7/8 7/8 .13 10 ea 221128 3-9/16" 2-3/4' 1-3/16 7/8' 1/2' 221128-1 #6 FH .15 10 ea

These Heavy Duty Hasps are designed with a slotted plate that fits over a fixed post. Prevents removal when used in conjunction with a padlock. For added security, all mounting screws are concealed when hasp is closed. Ideal for securing lockers, cupboards, chests, or hatch doors. Constructed of corrosion resistant stamped 304 stainless steel. Installs with seven #6 FH fasteners (not included).



This Swivel Hasp is designed with a slotted plate that fits over a swivel pad eye. The swivel eye rotates acting as a temporary lock, but will accept padlocks with up to a 5/16" bail for more permanent protection. For added security, all mounting screws are concealed when hasp is closed. Ideal for use on doors, cabinets, dock boxes, and lockers. Constructed of corrosion resistant stamped 304 stainless steel. Installs with eight #8 FH fasteners (not included).



This Heavy Duty Swivel Hasp is designed with a slotted plate that fits over a swivel pad eye. The swivel eye rotates acting as a temporary lock, but will also accept most padlocks for more permanent protection. Flush mounting plate is hidden when hasp is closed. Ideal for securing lockers, cupboards, chests, or hatch doors. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



This Heavy Duty Straight Bar Hasp features a stainless steel staple that resists cutting, sawing, and hammering. Fixed eye will accept padlocks with up to a 7/16" bail. Hasp body conceals mounting hardware. Constructed of corrosion resistant stamped 304 stainless steel. Installs with seven 1/4" FH fasteners (not included).

## 



#### LOCKING HASP

Stamped 304 Stainless Steel



						-B►		
Bulk	Display	Α	В	C	D	Fastener	Wt.(lb.)	Std. Pack
221150	221150-1	3-1/8"	2-1/8"	1-1/4"	3/4"	#8 FH	.19	10 ea
221155	221155-1	4-1/8"	3-1/8"	1-1/4"	3/4"	#8 FH	.21	10 ea

These Locking Hasps are designed with a locking mechanism which requires the key to actuate, preventing lock out. Functions as a conventional hasp when key is not in use. Comes with two matching keys. Random key availability only from hasp to hasp. For added security, all mounting screws are concealed when hasp is closed. Ideal for securing lockers, cupboards, chests, or hatches. Constructed of corrosion resistant stamped 304 stainless steel. Installs with seven #8 FH fasteners (not included).



## HEAVY DUTY ANGLED PADLOCK EYE

Stamped 304 Stainless Steel									
Bulk	Display	Α	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221160	n/a	1/8"	1-1/4"	5/8"	2-1/8"	3/4"	1/4" RH	.15	5 pr

When used with a padlock, this Heavy Duty 90° Angled Padlock Eye adds extra security anywhere. Accepts padlocks with a 3/4" bail or less. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four 1/4" RH fasteners (not included).



#### HEAVY DUTY STRAIGHT PADLOCK EYE Stamped 304 Stainless Steel



									88 <b>-</b> 7
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221165	n/a	1/8"	1-15/16"	5/8"	2-1/8"	3/4"	1/4" FH	.12	5 pr

When used with a padlock, this Heavy Duty Straight Padlock Eye adds extra security anywhere. Accepts padlocks with a 3/4" bail or less. Constructed of corrosion resistant stamped 304 stainless steel. Installs with six 1/4" FH fasteners (not included).



## D

M

UUR HUUK	
achined 304 Stainless Steel	



Bulk	Display	A	В	C	Fastener	Wt.(lb.)	Std. Pack
221202	221202-1	2-3/8"	1"	11/16"	#8 FH	.09	10 ea
221203	221203-1	3-1/4"	1"	11/16"	#8 FH	.10	10 ea
221204	221204-1	3-15/16"	1"	11/16"	#8 FH	.11	10 ea
221209	n/a	Replacement St	aple			.02	10 ea

Features a unique rubber bushing that prevents accidental unhooking due to vibration and reduces rattling and noise common in other door hooks. Constructed of machined AISI 304 stainless steel. Surface mounts with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### TWO STAPLE DOOR HOOK

Machined 304 Stainless Steel



Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
n/a	221206-1	2-3/8"	1"	11/16"	1-1/16"	#8 FH	.10	10 ea
n/a	221207-1	3-1/4"	1"	11/16"	1-1/16"	#8 FH	.11	10 ea
n/a	221208-1	3-15/16"	1"	11/16"	1-1/16"	#8 FH	.12	10 ea
221209	n/a	Replacement	Staple				.02	10 ea

Features a unique rubber bushing that prevents accidental unhooking due to vibration and reduces rattling and noise common in other door hooks. Extra staple can be mounted to secure the cabin door in both open and closed positions. Constructed of machined AISI 304 stainless steel. Surface mounts with six #8 FH fasteners (not included).



e e

• •

## Cabinet Hardware



## HEAVY DUTY BARREL BOLT

Investment Cast 316 Stainless Steel



Bulk	Display	Α	В	C	Fastener	Wt.(lb.)	Std. Pack
221243	221243-1	3-3/4"	1-1/2"	5/8"	#8 FH	.28	5 ea
221244	221244-1	4-1/4"	1-1/2"	5/8"	#8 FH	.33	5 ea
221255	221255-1	6-1/2"	1-3/4"	5/8"	#10 FH	.59	5 ea

These Barrel Bolts provide additional security as either a primary or back-up locking system. Ideal for use on doors, gates, and cabinets. Appropriate for vertical, horizontal, left, or right-hand applications. In vertical use, the notch in the barrel holds bolt in locked position. Constructed of corrosion resistant investment cast 316 stainless steel. Surface mounts with FH fasteners (not included).



This Lift Handle can be used in a multitude of applications including doors, drawers, and cabinets. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #10 FH fasteners (not included).

								-	BRACKET tainless Steel	
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack	
221305	221305-1	1-1/2"	1-1/2"	7/8"	7/8"	9/16"	#8 FH	.03 / .06	10 ea / 10 pr	
221310	221310-1	2-3/8"	2-3/8"	1-3/16"	1-3/16"	9/16"	#8 FH	.05 / .10	10 ea / 10 pr	
221315	221315-1	3"	3"	1-13/16"	1-13/16"	9/16"	#8 FH	.06 / .12	10 ea / 10 pr	

90° Angle brackets are used as a corner brace to reinforce the inside right angle of corner joints. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).





- AND - AND

These Table Brackets are designed to hold a removable table securely in place. One 4-piece set includes two wall and two table brackets. Constructed of corrosion resistant stamped 304 stainless steel. Set installs with sixteen #10 FH fasteners (not included).

		C			F	OLDING T	ABLE SUF	PPORT B bed 304 Sta	
Bulk	Display	A	В	C	Style	Load Limit	Fastener	Wt.(lb.)	Std. Pack
221350	221350-1	6-1/2"	15/16"	11-11/16"	Light Duty	300 lbs.	#12 RH	1.50	1 pr
221355	221355-1	6-1/2"	15/16"	11-11/16"	Heavy Duty	500 lbs.	#12 RH	1.90	1 pr

These Folding Table Support Brackets fold and lock your table top in place. The heavy duty version (pictured) is rated for 500 lbs. and features thicker sliders. The light duty version is rated for 300 lbs. Constructed of corrosion resistant stamped 304 stainless steel. Installs with #12 RH fasteners (not included).





	NDLE LAT Cast 316 Stain	-					$\int$			
Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
n/a	221610-1	4-1/8"	2"	3/4"-1-1/2"	3-9/16"	1-3/4"	7/16"	#8 FH	.98	1 ea

This Door Handle Latch is highly polished for a modern, sleek look. Includes strike plate and mounting template. Handle is reversible for both left and right hung doors. Fits doors from  $3/4^{"}$  –  $1-1/2^{"}$  thick. Constructed of corrosion resistant investment cast 316 stainless steel. Latch and strike plate installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**DOOR HANDLE LATCH - LOCKING** 

Investment Cast 316 Stainless Steel



Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
n/a	221615-1	4-1/8"	3-9/16"	3/4"-1-1/2"	5-1/4"	1-1/4"	7/16"	#8 FH	.98	1 ea

This Locking Door Handle Latch is highly polished for a modern, sleek look. Features open from outside deadbolt with cylinder lock mechanism. Includes strike plate, mounting template and two keys. Handle is reversible for both left and right hung doors. Fits doors from 3/4" - 1-1/2" thick. Constructed of corrosion resistant investment cast 316 stainless steel. Latch and strike plate install with four #8 FH fasteners (not included).



▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### DOOR STOP BUTTON

Stamped 304 Stainless Steel/Injection Molded Nylon

otamped e			Jinnolaca	i vyion							
Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack	
221670	221670-1	1-3/8"	3/4"	3/4"	1-1/4"	2-3/8"	2"	#8 FH	.08	10 ea	

These Door Stop Buttons are a sleek, simple, and effective hardware solution to keep doors closed. Constructed of corrosion resistant stamped 304 stainless steel and injection molded nylon. Surface mounts with four #8 FH fasteners (not included). Comparable to Perko® #1217, without spring.



-	ING DOOR ST nent Cast 316 Sta	-				-		<u>Cu-171</u>	
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
22170	0 221700-1	2-7/8"	1-1/4"	1/4"	9/16"	7/8"	#8 FH	.18	5 ea

This Sliding Door Stop is designed to be installed adjacent to a track. Features a hinged arm that flips over to hold open or closed sliding windows or pocket doors. Simple and secure, this stop is constructed of corrosion resistant investment cast 316 stainless steel. Black polymer coating on stop protects windows or doors from direct metal contact. Installs with two #8 FH fasteners (not included).

AWARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

## SETTOOGLINE

## Cabinet Hardware 4

#### DOOR STOP AND CATCH

Investment Cast 316 Stainless Steel





Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
221710	221710-1	2"	2-1/2"	11/16"	1-3/16"	#6 FH	.41	5 ea
221715	221715-1	2"	4"	11/16"	1-3/16"	#6 FH	.47	5 ea
0P22100	n/a	Replacem	ent Wall Catch	•	.01	10 ea		
0P22101	n/a	Replacem	ent Rubber Bumper		••••••		.01	10 ea
0P22105	n/a	Replacem	ent Spring				.01	10 ea

These Door Stop and Catches hold the door securely against the rubber stop, effectively reducing rattling common with most door hooks. The spring-loaded latch allows for quick and easy release. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with five #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1-1/2"

3"





These two-in-one Magnetic Door Stops both protect walls and hold doors open. Features a powerful, hands-free magnet that can keep door open even in heavy winds. Can be mounted either vertically to the floor, or horizontally to baseboard or wall. Constructed of corrosion resistant machined 304 stainless steel. Installs with #10 RH fasteners (not included).

9/16"

1-3/16"



221755-1

221755

## SPRING LOADED FLUSH RING PULL

#10 RH

Stamped 304 Stainless Steel

.53

5 ea



Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221810	221810-1	2-9/16"	2-3/16"	7/16"	1/32"	1-1/2"	#8 FH	.11	10 ea
221815	221815-1	1-3/4"	1-1/2"	7/16"	1/32"	1"	#6 FH	.06	10 ea

These Spring Loaded Flush Ring Pulls features a rattle-free handle that stays flush against the base, even in vertical applications. Ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four FH fasteners (not included).



This Spring Loaded Flush Hatch Pull features a rattle-free handle that stays flush against the base, even in vertical applications. Ideal for use on doors, hatches, lazarettes and dock boxes. Constructed of corrosion resistant stamped 304 stainless steel. Installs with four #8 FH fasteners (not included).



This Surface Mount Ring Pull is ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of corrosion resistant stamped 304 stainless steel. Surface mounts with four #10 FH fasteners (not included).

## SEPPDOGLINE

- Locking Arm



#### SURFACE MOUNT LOCKING RING PULL

Stamped 304 Stainless Steel/Die Cast Zinc Lock

Bulk	Display	A	В	C	D	Ε	F (Locking Arm)	G Wt.(lb.)	Std. Pack
221831	221831-1	2-1/8"	1-15/16"	1-1/16"	3/16"	15/16"	1-7/16"-1-7/8"	1/2" .24	10 ea

This Surface Mount Locking Ring Pull is recessed for a flush, clean installation. Includes two locking arms for flush or offset installations. Ideal for hatches, deck plates, cabinets, and drawers. Designed to keep your valuables protected, it includes two matching keys. Keys are random so requesting multiple ring pulls keyed alike is not possible. Constructed of corrosion resistant stamped 304 stainless steel with a die cast zinc lock. Installs with a back mounted threaded nut.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### 

	<b>HANULE LA</b> t Cast 316 Sta						BE			
Bulk	Display	Α	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
221835	221835-1	3-3/4"	3"	6"	3-1/8"	2-7/16"	1/2"	#8 FH	1.28	1 ea

These Hatch Handle Latches feature a handle that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Adjustable locking arm adds additional security. Once installed, the locking arm can be trimmed to length. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #8 FH fasteners (not included).



#### **HATCH COVER PULL** Stamped 304 Stainless Steel



Bulk	Display	Description	A	В	C	D	Wt.(lb.)	Std. Pack
221840	221840-1	Pull Only	1-15/16"	1-1/4"	1/8"	3/16"	.06	10 ea
221841	n/a	Rubber Gasket Only	n/a	n/a	n/a	n/a	.01	10 ea
221842	221842-1	Pull and Rubber Gasket	1-15/16"	1-1/4"	1/8"	3/16"	.07	10 ea

This Hatch Cover Pull provides a simple and convenient way to open the hatches in your boat. Easy-to-install, it features a stainless steel washer for a tight and secure fit, and a rubber gasket to reduce noise and resist water penetration. Commonly used on deck mounted access hatches, this hatch cover pull not only looks attractive, but is durable for use in harsh marine conditions. Constructed of stamped 304 stainless steel. Requires a 3/16" hole. Flange pull is 1-1/4" in diameter x 1/8" thick.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## R

RING P	<b>ULL</b> t Cast 316 Stai	inless Steel							
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221850	221850-1	1-15/16"	1-9/16"	1/2"	1/8"	1-1/16"	#8 FH	.12	10 ea

This Ring Pull features a handle that pivots out to open hatches, etc. and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #8 FH fasteners (not included).



	HATCH PU t Cast 316 Sta		1					Ç ♥	
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
221860	221860-1	3"	2-1/8"	5/16"	1/16"	1-1/4"	#8 FH	.20	5 ea

This Flush Hatch Pull features a handle that pivots out to open hatches, etc. and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #8 FH fasteners (not included).

# **Cabinet Hardware**





2-7/16'



This Elbow Deck Catch is ideal for the inactive side of a pair of cabinet doors. For use on wood or metal doors where no frame is present between doors. This catch is quick and simple to install, allowing for the door to lock shut when pushed. Requires releasing the hook to open the door, making it very secure. Traditionally used in conjunction with a touch or magnetic latch on the primary door. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #8 RH fasteners (not included).



This T-Handle Slam Latch features push-to-close functionality. Activated by the shutting or slamming of a door, they are designed so that a spring inside automatically retracts the latch, engaging the keeper and retaining the cover against the frame. Fast and easy to use, this latch features a recessed, rattle-free, spring loaded T-handle for quick access. Constructed of corrosion resistant investment cast 316 stainless steel. Easy to install by simply inserting the latch body through a single round 2" cut-out and screwing on the back plate. Includes hardware to mount latch. Keeper hardware not included.



This T-Handle Latch features a recessed T-handle for a flush, clean installation. Constructed of corrosion resistant investment cast 316 stainless steel. Installs with four #8 FH fasteners (not included).



.31

5 ea

## SETTOOGLINE



#### CAM LOCK

Bulk

221930

Die Cast Zinc/Stamped 304

Stainless Steel Nut					
A (Locking Arm) B	C	D	E	Wt.(lb.)	Std. Pack
1-9/16" - 1-7/8" 1" / 11/16"	3/4"	1/2"	15/16"	.20	10 ea

► B I

This cylindrical Cam Lock assembly features a pivot mechanism that will swivel to engage in a locked, or open position, simply by turning the cam assembly. Includes two locking arms for flush or offset installations and two matching keys. Keys are random so keyed alike cam locks cannot be guaranteed. Constructed of die cast zinc. Installs with back mounted 304 stainless steel nut.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### **ROUND HATCH HANDLE LATCH**

Investment Cast 316 Stainless Steel

Display

221930-1



	Bulk	Display	A	В	Cutout Hole Size	Max. Depth	Wt.(lb.)	Std. Pack
2	221942	n/a	2-3/8"	3-3/4"	2"	7/8"	.96	1 ea
	221944	n/a	3-1/2"	3-3/4"	3"	7/8"	2.11	1 ea

These Round Hatch Handle Latches feature a T-handle to engage the offset locking arm. Handle is recessed for a flush, clean installation. Constructed of corrosion resistant investment cast 316 stainless steel. Requires a 2" or 3" size cut-out hole. Installs with a back mounted stainless nut.



#### LARGE ROUND HATCH HANDLE LATCH Investment Cast 316 Stainless Steel



Display 221954 n/a 3-1/2" 3-3/4" 3" 7/8" 2.03 1 ea This Large Round Hatch Handle Latch features a T-handle to engage the offset locking arm. Handle is recessed for a flush, clean

R

installation. Constructed of corrosion resistant investment cast 316 stainless steel. Requires a 3" size cut-out hole. Installs with a back mounted stainless nut.



## SLAM LATCH

Bulk

Investment Cast 316 Stainless Steel

Bulk Display A B Cutout Hole Size Locking Fastener	Wt.(lb.)	Std. Pack
<b>221961 n/a</b> 1-3/4" 7/8" 1-1/2" No 1/8" RH	.21	1 ea
<b>221961L n/a</b> 1-3/4" 7/8" 1-1/2" Yes 1/8" RH	.25	1 ea

These Slam Latches feature push-to-close functionality. Activated by the shutting or slamming of a door, they are designed so that a spring inside automatically retracts the latch, engaging the keeper and retaining the cover against the frame. Fast and easy to use, this latch features a recessed, rattle-free, spring loaded T-handle for quick access. Constructed of corrosion resistant investment cast 316 stainless steel. Easy to install by simply inserting the latch body through a single round 1-1/2" cutout and screwing on the back plate. Includes hardware to mount latch. Keeper hardware not included. Available in locking (pictured) and non-locking configurations.



## WATERTIGHT SLAM LATCH

Cabinet Hardware

Investment Cast 316 Stainless Steel





Bulk	Display	A	В	Cutout Hole Size	Locking	Fastener	Wt.(lb.)	Std. Pack
221962	n/a	2-5/16"	1-1/16"	2"	No	1/8" RH	.31	1 ea
221962L	n/a	2-5/16"	1-1/16"	2"	Yes	1/8" RH	.35	1 ea

These Watertight Slam Latches feature push-to-close functionality. Activated by the shutting or slamming of a door, they are designed so that a spring inside automatically retracts the latch, engaging the keeper and retaining the cover against the frame. Includes a pair of seals to prevent water from passing through the latch. Fast and easy to use, this latch features a recessed, rattle-free, spring loaded T-handle for quick access. Constructed of corrosion resistant investment cast 316 stainless steel. Easy to install by simply inserting the latch body through a single round 2" cutout and screwing on the back plate. Includes hardware to mount latch. Keeper hardware not included. Available in locking (pictured) and non-locking configurations.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



T-HANDLE SLAM LATCH
Investment Cast 316 Stainless Steel

Bulk	Display	A	В	Cutout Hole Size	Locking	Fastener	Wt.(lb.)	Std. Pack
221972	n/a	2-3/8"	1-11/16"	2"	No	1/8" RH	.31	1 ea
221972L	n/a	2-3/8"	1-11/16"	2"	Yes	1/8" RH	.35	1 ea

These T-Handle Slam Latches feature push-to-close functionality. Activated by the shutting or slamming of a door, they are designed so that a spring inside automatically retracts the latch, engaging the keeper and retaining the cover against the frame. Fast and easy to use, this latch features a recessed, rattle-free, spring loaded T-handle for quick access. Constructed of corrosion resistant investment cast 316 stainless steel. Easy to install by simply inserting the latch body through a single round 2" cutout and screwing on the back plate. Includes hardware to mount latch. Keeper hardware not included. Available in locking (pictured) and non-locking configurations.



This T-Handle Locking Compression Latch features a T-handle to engage the offset locking arm. Handle is recessed for a flush, clean installation. Locking feature for secure hatches. Includes heavy duty stainless key. Constructed of corrosion resistant investment cast 316 stainless steel. Requires a 2" size cutout hole. Installs with a back mounted stainless cup. Rubber gasket optional (0P22110).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Padlock includes three keys. Brass construction.







#### **COMBINATION KEY BOX LOCK**

Powder Coated Steel

Bulk Display В Nt.(lb.) Std C 5-3/16" n/a 222009-1  $1-5/8^{2}$ 2-1/2' 5/16' 1.34 1 ea Combination Key Box Lock is great for dock boxes and entry doors. Large capacity lock box fits multiple keys. Interior dimensions: 4-1/2"L X 1-1/2"D X 7/8"W. Programable combination is preset to open on 0-0-0. Thousands of personalized combination  $code\ options.\ Combination\ reset\ instructions\ included.\ Hinged\ side\ opening\ door\ is$ permanently attached to prevent loss. Hang the lock box on a door, fence, railing, or anywhere it can securely lock. Constructed of powder coated steel with a hardened steel

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## DOOR HOOK

shackle for extra security.

Sand Cast Brass or Chrome Plated Brass



Bulk	Display	A	В	C	D	Finish	Fastener	Wt.(lb.)	Std. Pack
222050	222050-1	1-1/2"	5/8"	11/16"	2-1/4"	Chrome	#6 FH	.09	10 ea
222051	222051-1	1-1/2"	5/8"	11/16"	2-1/4"	Brass	#6 FH	.09	10 ea

These hook-and-eye style Door Hooks allow additional security for doors and cabinets to lock in closed or open positions. Ideal for use on doors, gates, cabinets, and shutters. Constructed of sand cast brass with a plain polished or chrome plated finish. Surface mounts with four #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### **DECORATIVE DOOR HOOK**

Sand Cast Brass or Chrome Plated Brass



Bulk	Display	A	В	C	D	Finish	Fastener	Wt.(lb.)	Std. Pack
222055	222055-1	1-3/4"	5/8"	11/16"	2-1/2"	Chrome	#6 FH	.09	10 ea
222056	222056-1	1-3/4"	5/8"	11/16"	2-1/2"	Brass	#6 FH	.09	10 ea
222065	222065-1	2-3/4"	5/8"	11/16"	3-1/2"	Chrome	#6 FH	.12	10 ea
222066	222066-1	2-3/4"	5/8"	11/16"	3-1/2"	Brass	#6 FH	.12	10 ea

These hook-and-eye style Decorative Door Hooks allow additional security for doors and cabinets to lock in closed or open positions. Ideal for use on doors, gates, cabinets, and shutters. Constructed of sand cast brass with a plain polished or chrome plated finish. Surface mounts with four #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### DOOR HOOK WITH SWIVEL

Precision Cast Brass or Chrome Plated Brass



**MITDOG** 

Bulk	Display	A	В	C	D	Finish	Fastener	Wt.(lb.)	Std. Pack
222090	222090-1	5-1/16"	15/16"	3/4"	5-5/8"	Chrome	#6 FH	.26	10 ea
222091	222091-1	5-1/16"	15/16"	3/4"	5-5/8"	Brass	#6 FH	.26	10 ea

These cabin Door Hooks with Swivels feature a dual action hinge to eliminate rattle and ensures a secure fit. For use on any type of door to lock in closed or open positions. Constructed of precision cast brass with a plain polished or chrome plated finish. Surface mounts with four #6 FH fasteners (not included).



#### ANTI-RATTLE LATCH

**Cabinet Hardware** 



Anti-Rattle Latch features an open-mount, center-tensioning cam latch for a tight, no-rattle seal. Latch also features a locking hole that will accept a padlock with up to a 1/4" diameter shank. Ideal for cabinets, doors, and hatches. Constructed of chrome plated sand cast brass. Surface mounts with four #10 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
222112	222112-1	2-5/16"	13/16"	13/16"	3/4"	#6 FH	.07	10 ea
222113	222113-1	2-3/4"	13/16"	13/16"	3/4"	#6 FH	.08	10 ea

These hook-and-eye style cabin Door Hooks allow additional security for doors and cabinets to lock in closed or open positions. Ideal for use on doors, gates, cabinets, and shutters. Constructed of chrome plated cast brass. Surface mounts with four #6 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These Hasps are designed with a slotted plate that fits over a fixed post. Prevents removal when used in conjunction with a padlock. For added security, all mounting screws are concealed when hasp is closed. Ideal for use on doors, cabinets, chests, and lockers. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with eight #6 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These Swivel Hasps are designed with a slotted plate that fits over a swivel pad eye. The swivel eye rotates acting as a temporary lock, but can also be used in conjunction with a padlock for more permanent protection. For added security, all mounting screws are concealed when hasp is closed. Ideal for use on doors, cabinets, chests, and lockers. Constructed of sand cast brass with a chrome plated finish. Installs with two #4 FH and four #6 FH fasteners (not included).



#### HEAVY DUTY HASP





Bulk	Display	A	В	C	D	E	Finish	Fastener	Wt.(lb.)	Std. Pack
222150	222150-1	5-7/8"	3-1/4"	1-9/16"	1-1/4"	1/2"	Chrome	#8 FH	.59	10 ea
222155	222155-1	5-7/8"	3-1/4"	1-9/16"	1-1/4"	1/2"	Brass	#8 FH	.59	10 ea

These Heavy Duty Hasps are designed with a slotted plate that fits over a fixed post. Prevents removal when used in conjunction with a padlock. Ideal for use on doors, cabinets, chests, and lockers. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with eight #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### **ELBOW CATCH**

LIFT HANDLE

Sand Cast Brass Chrome Plated

Extruded Brass or Chrome Plated Brass



Bulk	Display	A	В	Finish	Fastener	Wt.(lb.)	Std. Pack
222330	222330-1	1-1/8"	1-5/16"	Chrome	#6 FH	.06 / .12	10 ea / 10 pr
222335	222335-1	1-1/8"	1-5/16"	Brass	#6 FH	.06 / .12	10 ea / 10 pr

This spring-loaded Elbow Catch is ideal for the inactive side of a pair of cabinet doors. For use on wood or metal doors where no frame is present between doors. These catches are quick and simple to install, allowing for door to lock shut when pushed. Requires releasing the hook to open the door, making them very secure. Traditionally used in conjunction with a touch or magnetic latch on the primary door. Slotted hole in catch allows for adjustable installation. Constructed of extruded brass with a plain polished or chrome plated finish. Surface mounts with two #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Bulk	Display	A	В	C	D	E	F	Fastener	Wt.(lb.)	Std. Pack
222340	222340-1	4-3/4"	2-5/8"	13/16"	1-1/4"	5/8"	4-1/16"	#10 FH	.18	10 ea

This sturdy Lift Handle can be used in a multitude of applications including doors, drawers, and cabinets. Constructed of sand cast brass with a chrome plated finish for durability. Installs with four #10 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Bulk	Display	Α	В	C	D	E	F	Finish	Fastener	Wt.(lb.)	Std. Pack
222345	222345-1	4"	2-11/16"	7/8"	1"	1/2"	3-3/8"	Chrome	#8 FH	.19	10 ea
222346	222346-1	4"	2-11/16"	7/8"	1"	1/2"	3-3/8"	Brass	#8 FH	.19	10 ea
222348	222348-1	6"	3-13/16"	1-1/16"	1-5/16"	3/4"	5"	Chrome	#10 FH	.35	10 ea
222349	222349-1	6"	3-13/16"	1-1/16"	1-5/16"	3/4"	5"	Brass	#10 FH	.35	10 ea

These Deluxe Lift Handles can be used in a multitude of applications including doors, drawers and cabinets. Constructed of sand cast brass with a plain polished (222346 and 222349) or chrome plated finish (222345 and 222348). Installs with four FH fasteners (not included).



# Cabinet Hardware



This heavy duty Lift Handle is ideal for cabinets and drawers. This durable handle provides ample hand clearance for maximum grip. Constructed of sand cast brass with a chrome plated finish. Installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## LIFT HANDLE

Sand Cast Brass or Chrome Plated Brass



Bulk	Display	A	В	C	D	E	F	Finish	Fastener	Wt.(lb.)	Std. Pack
222355	222355-1	6"	2-1/2"	1-1/4"	1-7/8"	1-1/16"	5"	Chrome	#8 FH	.41	10 ea
222356	222356-1	6"	2-1/2"	1-1/4"	1-7/8"	1-1/16"	5"	Brass	#8 FH	.41	10 ea

These Lift Handles can be used in a multitude of applications including doors, drawers and cabinets. Constructed of sand cast brass with a plain polished (222356) or chrome plated finish (222355). Installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

		C D Cast Brass or Chrome I								
Bulk	Display	A	В	C	D	E	Finish	Fastener	Wt.(lb.)	Std. Pack
222360	222360-1	1-3/16"	1/2"	1"	1-3/4"	1-11/16"	Chrome	#6 FH	.13	10 ea
222365	222365-1	1-3/16"	1/2"	1"	1-3/4"	1-11/16"	Brass	#6 FH	.13	10 ea

These Door Stop Buttons are a sleek, simple, and effective hardware solution to keep doors closed. Constructed of cast brass with a plain polished or chrome plated finish. Surface mounts with three #6 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





**222380222380-1**1-1/2"1-1/2"1"3/4"#6 FH.1410 eaThese Cupboard Bolts are used to secure cabinet doors while underway. Constructed of corrosion resistant chrome plated

extruded brass. Surface mounts with six #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These Ring Pulls feature a handles that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, cabinets, hatches, chests, and drawers. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with four FH fasteners (not included).







#### HATCH PULL Sand Cast Brass Chrome Plated

Sand Cast E	<b>YULL</b> Brass Chrome	Plated							
Bulk	Display	A	В	C	D	E	Fastener	Wt.(lb.)	Std. Pack
222420	222420-1	3"	2-1/8"	5/16"	1/16"	1-1/4"	#8 FH	.20	10 ea

This Hatch Pull features a handle that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of sand cast brass with a chrome plated finish. Installs with four #8 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### HATCH HANDLE

Sand Cast Brass or Chrome Plated Brass



Bulk	Display	Α	В	C	D	E	Finish	Fastener	Wt.(lb.)	Std. Pack
222425	222425-1	2-15/16"	2-3/16"	3/8"	1/16"	1-3/16"	Chrome	#8 FH	.37	10 ea
222426	222426-1	2-15/16"	2-3/16"	3/8"	1/16"	1-3/16"	Brass	#8 FH	.37	10 ea

These Hatch Handles feature a handle that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### HATCH HANDLE LATCH Chrome Plated Cast Brass

Display

222435-1

222440-1

Bulk

222435

222440



These Hatch Handle Latches feature a handle that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, hatches, lazarettes, and dock boxes. Adjustable locking arm adds additional security. Once installed, the locking arm can be trimmed to length. Constructed of sand cast brass with a chrome plated finish. Installs with four #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

A

3-1/8'

3-3/4'



#### **ROUND RING PULL** Sand Cast Brass or Chrome Plated Brass



Bulk	Display	A	В	C	D	Finish	Fastener	Wt.(lb.)	Std. Pack
222460	222460-1	1-5/8"	7/16"	1-1/16"	1/16"	Chrome	#8 FH	.07	10 ea
222461	222461-1	1-5/8"	7/16"	1-1/16"	1/16"	Brass	#8 FH	.07	10 ea
222465	222465-1	2"	7/16"	1-1/16"	1/16"	Chrome	#8 FH	.10	10 ea
222466	222466-1	2"	7/16"	1-1/16"	1/16"	Brass	#8 FH	.10	10 ea

These Round Ring Pulls feature a handle that pivots out to open hatches and lays flush when not in use for a clean appearance. Ideal for use on doors, cabinets, hatches, chests, and drawers. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with three #8 FH fasteners (not included).





#### BARREL BOLT

Extruded Brass Chrome Plated



		-						
Bulk	Display	A (Less Striker)	В	C	D	Fastener	Wt.(lb.)	Std. Pack
222500	222500-1	1-1/2"	3/8"	1/2"	1"	#6 FH	.11	10 ea
222501	222501-1	2"	3/8"	1/2"	1"	#6 FH	.11	10 ea
222502	222502-1	2-1/2"	3/8"	1/2"	1"	#6 FH	.16	10 ea
222503	222503-1	3"	3/8"	1/2"	1"	#6 FH	.18	10 ea

These Barrel Bolts provide additional security as either a primary or back-up locking system. Ideal for use on doors, gates, and cabinets. Appropriate for vertical, horizontal, left, or right-hand applications. In vertical use, notch in barrel holds bolt in locked position. Constructed of extruded brass with a chrome plated finish. Surface mounts with six #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These Barrel Bolts provide additional security as either a primary or back-up locking system. Ideal for use on doors, gates, and cabinets. Appropriate for vertical, horizontal, left, or right-hand applications. In vertical use, notch in barrel holds bolt in locked position. Constructed of sand cast brass with a chrome plated finish. Surface mounts with six #6 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



These Door Stops and Catches are both decorative and functional. Designed to hold the door securely against the rubber stop, effectively reducing rattling common with most door hooks. The spring-loaded latch allows for quick and easy release. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with five #6 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

						Sand Cast Bras		D CATCH Plated Brass	10
Bulk	Display	A	В	C	Finish	Fastener	Wt.(lb.)	Std. Pack	
222821	222821-1	1-11/16"	5/16"	3/8"	Chrome	#4 FH	.03 / .06	10 ea / 10 pr	
222822	222822-1	1-15/16"	3/8"	7/16"	Chrome	#4 FH	.05 / .10	10 ea / 10 pr	
222823	222823-1	2-5/16"	7/16"	1/2"	Chrome	#6 FH	.09 / .18	10 ea / 10 pr	
222841	222841-1	1-11/16"	5/16"	3/8"	Brass	#4 FH	.03 / .06	10 ea / 10 pr	a
222842	222842-1	1-15/16"	3/8"	7/16"	Brass	#4 FH	.05 / .10	10 ea / 10 pr	
222843	222843-1	2-5/16"	7/16"	1/2"	Brass	#6 FH	.09 / .18	10 ea / 10 pr	

These Stud Catches are ideal for applications that require repeated disengagement. The design affords no direct contact between the stud and panel surfaces, preventing damage and wear. Stud catches feature an adjustable, stainless steel, spring-loaded ball that allows for easy adjustment of the holding strength depending on door size. Strike plate can be positioned to enter in any of three ways, from the front or either side. Constructed of sand cast brass with a plain polished or chrome plated finish. Installs with four FH fasteners (not included).







This Lift Handle is great for use on cabinets and drawers. It provides ample hand clearance for maximum grip. Constructed of chrome plated die cast zinc. Installs with four #10 FH fasteners (not included). Recommended for fresh water use.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### PUSH BUTTON RIM LATCH

Brushed Brass or Chrome Plated Brass/Plastic Housing



Bulk	Display	Α	В	C	D	Max. Door Thickness	Finish on Brass	Fastener	Wt.(lb.)	Std. Pack
224300	224300-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Polished Chrome	#6 RH	.20	5 ea
224301	224301-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Polished Brass	#6 RH	.20	5 ea
224303	224303-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Brushed Brass	#6 RH	.20	5 ea
224320	n/a	Replacem	ient Strike	e Plate-Flat					.01	10 ea
224321	n/a	Replacem	ient Strike	e Plate-90°	•			•	.01	10 ea

Push Button Rim Latch housings feature a streamlined, positive action closure, ensuring cabinets and drawers stay closed until the button is deliberately pushed. Suitable for left-side or right-side use. Mortise mount for a sleek, finished appearance. Constructed of sturdy plastic with a chrome plated or polished brass knob. Latch installs with two #6 RH fasteners, strike plates require two #4 FH fasteners (fasteners not included). Display version comes with both flat and 90° strike plates for inset or overlay mounting. When ordering bulk, please order strike plates (224320 flat, or 224321 90°) separately. Hole spacing on flat strike plate (224320) is 1-7/8". Hole spacing on 90° strike plate (224321) is 1-3/16". For OEM applications, varying combinations of rosette/button material are available.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### PUSH BUTTON RIM LATCH Plastic/Plastic Housing



Bulk	Display	A	В	C	D	Max. Door Thickness	Finish on Plastic	Fastener	Wt.(lb.)	Std. Pack
224312	224312-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Polished Chrome	#6 RH	.20	5 ea
224314	224314-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Gold Plated	#6 RH	.20	5 ea
224320	n/a	Replacem	ent Strike	e Plate-Flat					.01	10 ea
224321	n/a	Replacem	ent Strike	e Plate-90°	••••••			•	.01	10 ea

Push Button Rim Latch housings feature a streamlined, positive action closure, ensuring cabinets and drawers stay closed until the button is deliberately pushed. Suitable for left-side or right-side use. Mortise mount for a sleek, finished appearance. Constructed of sturdy plastic with a polished chrome or gold plated knob. Latch installs with two #6 RH fasteners, strike plates require two #4 FH fasteners (fasteners not included). Display version comes with both flat and 90° strike plates for inset or overlay mounting. When ordering bulk, please order strike plates (224320 flat, or 224321 90°) separately. Hole spacing on flat strike plate (224320) is 1-7/8". Hole spacing on 90° strike plate (224321) is 1-3/16".

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



	TCH KNOB Plated Cast Bras	55			A		3
Bulk	Display	Thread	Finish	Α	В	Wt.(lb.)	Std. Pack
224350	224350-1	M6 x 1.00	Chrome Plated	7/8"	3/4"	.08	10 ea

nd Reproductive Harm - www.P65Warning

88





224320

224321

n/a

n/a



Stainless Steel/Plastic Housing

.01

.01

10 ea

10 ea



		÷ لہ	- <b>A</b>	90 <sup>°</sup>	Flat					
Bulk	Display	A	В	C	D	Max. Door Thickness	Finish	Fastener	Wt.(lb.)	Std. Pack
225300	225300-1	1-15/16"	1-7/8"	2-1/16"	1"	1"	Stainless	#6 RH	.20	5 ea
224320	n/a	Replaceme	ent Strike F	Plate-Flat	•••••	••••••	•	•	.01	10 ea
224321	n/a	Replaceme	ent Strike F	Plate-90°	•••••		•	•	.01	10 ea

Strike Plates

Push Button Rim Latch housings feature a streamlined, positive action closure, ensuring cabinets and drawers stay closed until the button is deliberately pushed. Suitable for left-side or right-side use. Mortise mount for a sleek, finished appearance. Constructed of sturdy plastic with a corrosion resistant 304 stainless steel knob. Latch installs with two #6 RH fasteners, strike plates require two #4 FH fasteners (fasteners not included). Display version comes with both flat and 90° strike plates for inset or overlay mounting. When ordering bulk, please order strike plates (224320 flat, or 224321 90°) separately. Hole spacing on flat strike plate (224320) is 1-7/8". Hole spacing on 90° strike plate (224321) is 1-3/16". For OEM applications, varying combinations of rosette/button material are available.



Push Button Rim Latch housings feature a streamlined, positive action closure, ensuring cabinets and drawers stay closed until the button is deliberately pushed. Suitable for left-side or right-side use. Mortise mount for a sleek, finished appearance. Constructed of sturdy plastic with a corrosion resistant 304 stainless steel knob. Latch installs with two #6 RH fasteners, strike plates require two #4 FH fasteners (fasteners not included). Display version comes with both flat and 90° strike plates for inset or overlay mounting. When ordering bulk, please order strike plates (224320 flat, or 224321 90°) separately. Hole spacing on flat strike plate (224320) is 1-7/8". Hole spacing on 90° strike plate (224321) is 1-3/16". For OEM applications, varying

combinations of rosette/button material are available.



**Replacement Strike Plate-Flat** 

Replacement Strike Plate-90°

#### PUSH BUTTON RIM LATCH - SQUARE/ROUND Stainless Steel/Plastic Housing



Bulk Display Max. Door Thickness Finish Fastener Wt.(lb. Std. Pack 1-7/8" 225320 225320-1 1-15/16" 2-1/16" 1" 1" Stainless #6 RH .20 5 ea 224320 n/a **Replacement Strike Plate-Flat** .01 10 ea 224321 Replacement Strike Plate-90° n/a .01 10 ea

Push Button Rim Latch housings feature a streamlined, positive action closure, ensuring cabinets and drawers stay closed until the button is deliberately pushed. Suitable for left-side or right-side use. Mortise mount for a sleek, finished appearance. Constructed of sturdy plastic with a corrosion resistant 304 stainless steel knob. Latch installs with two #6 RH fasteners, strike plates require two #4 FH fasteners (fasteners not included). Display version comes with both flat and 90° strike plates for inset or overlay mounting. When ordering bulk, please order strike plates (224320 flat, or 224321 90°) separately. Hole spacing on flat strike plate (224320) is 1-7/8". Hole spacing on 90° strike plate (224321) is 1-3/16". For OEM applications, varying combinations of rosette/button material are available.



#### PUSH BUTTON CABINET LATCH

.21

5 ea

Investment Cast 316 Stainless Steel/Chrome Plated Brass



$\bigcirc$	V							
Display	Style	Α	В	C	D	Max Door Thickness	Wt.(lb.)	Std. Pack
225400-1	Oval	1-7/16"	15/16"	1-11/16"	3/4"	15/16"	.20	5 ea

3/4"

15/16"

1-11/16"

These Push Button Cabinet Latches function as both a latch and handle. Push button operation activates and secures the latch with a simple, deliberate motion. Positive action locking function prevents cabinets from opening while in motion. Sleek, lowprofile design makes them convenient in tight spaces. Great for glove compartments. Suitable for left or right-hand side uses. Constructed of corrosion resistant investment cast 316 stainless steel. Installs by boring a single 3/4" hole. Includes catch.

15/16"

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Rectangular 1-7/16"



Bulk

225400

225420

225420-1



#### PUSH BUTTON CABINET LATCH

Chrome Plated Brass/Plastic Housing

Bulk Max. Door Thickness Display C D Finish Fastene 226312 226312-1 2-3/16" 11/16' 11/16" 11/16 Chrome #6 RH .16 5 ea

This Push Button Cabinet Latch function as both a latch and handle. Push button operation activates and secures the latch with a simple, deliberate motion. Positive action locking function prevents cabinets from opening while in motion. Sleek, low-profile design makes them convenient in tight spaces. Great for glove compartments. Suitable for left or right-hand side uses. Easy to install by boring a single 1" hole. Includes catch. Constructed of sturdy plastic with a chrome plated brass knob. Installs with four #6 RH fasteners (included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### FLEXIBLE DOOR CATCH

Injection Molded Nylon/304 Stainless Steel



Bulk	Display	A	В	C	Fastener	Wt.(lb.) Std. Pack
227023	227023-1	1-1/4"	3/4"	1-7/16"	#4 RH	.02 / .04 10 ea / 10 pr

These Flexible Door Catches guarantee ease of alignment and durability in use. Constructed of sturdy UV resistant injection molded nylon with a stainless steel spring clip and 304 stainless adjustable door strike (included). Installs with two #4 RH fasteners (not included).



## ELBOW CATCH

Injection N	Aolded Nylon						
Bulk	Display	A	В	Color	Fastener	Wt.(lb.) Std.	Pack
227030	227030-1	1-1/8"	1-5/16"	Black	#6 FH	.01 / .02 10 ea	/ 10 pr

This spring-loaded Elbow Catch is ideal for the inactive side of a pair of cabinet doors. For use on wood or metal doors where no frame is present between doors. Quick and simple to install, allowing for door to lock shut when pushed. Requires releasing the hook to open the door, making them very secure. Traditionally used in conjunction with a touch or magnetic latch on the primary door. Constructed of UV resistant injection molded nylon. Surface mounts with four #6 FH fasteners (not included).



These Surface Mount Roller Catches feature stainless steel springs and provide secure closure for cabinet doors. Constructed of sturdy injection molded nylon. Installs with four #6 RH fasteners (not included).



# DOOR CATCH Injection Molded Nylon Bulk Display A B Fastener Wt.(lb.) Std. Pack

1-3/16'

These Door Catches provide secure closure for cabinet doors. Constructed of sturdy injection molded nylon. Installs with four #6 RH fasteners (not included). Display packaging are packed in sets of 4 each.

#6 RH





227135

227135-1

1/2"



.01 / .04 20 ea / 10 sets



These Twin Roller Door Catches will upgrade your cabinet or wardrobe by providing secure door closure. Constructed of sturdy injection molded nylon. Installs with four #6 RH fasteners (not included). Display packaging are packed in sets of 4 each.



Bulk	Display	Α	В	C	LED Color	Fastener	Wt.(lb.)	Std. Pack
227162	227162-1	2"	1-5/8"	13/16"	White	#10 FH	.17	5 ea

The LED Switch Activated Cabinet Light can be mounted in any cabinet, locker, or other location where short access lighting is needed. Features 4 super bright white LEDs. No wiring necessary. Uses 6 LR44 batteries (included). Constructed of UV resistant injection molded nylon. Installs with four #10 FH fasteners (included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



This Step Handle is designed for use as a lift handle on small boat transoms. Molded with a contoured handle grip, the textured upper surface also allows these handles to be used as a step. Constructed of UV resistant injection molded nylon. Installs with four 1/4" RH fasteners (not included).

- Special Order Requirements May Apply
- Custom Colors Available With Large Order

									- SMALL Ided Acetal	•
Bulk	Display	A	В	C	D	Color	Fastener	Wt.(lb.)	Std. Pack	
227310	227310-1	2-3/16"	1-3/4"	1-9/16"	11/16"	Black	#6 FH	.04	10 ea	

These Small Finger Pulls allow you to open a small drawer or cabinet. Flush mounted for a more inconspicuous look. Constructed of UV resistant injection molded acetal. Installs with four #6 FH fasteners (not included).

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

								Inj		ER PULL Ided Aceta
	C <b></b> ►	•								
Bulk	Display	A	В	C	D	E	Color	Fastener	Wt.(lb.)	Std. Pack
	C Display 227320-1	A 3-5/8"	в 2-3/8"	<b>c</b> 2-15/16"	D 1-3/4"	Е 11/16"	Color Black	Fastener #6 FH	Wt.(lb.) .07	Std. Pack 10 ea
Bulk 227320 227321				-		_				

These Finger Pulls allow you to open a large drawer or cabinet. Flush mounted for a more inconspicuous look. Constructed of UV resistant injection molded acetal. Installs with four #6 FH fasteners (not included).





10 ea

.11

### WEBBING HANDLE WITH CAPS



#### Injection Molded Nylon/Webbing

Display

227462-1



#10 RH

Webbing Lift Handle is easy to hold even when wet. Ideal for replacement of worn or torn handles or to add another handle to make it easier to carry your kayak, paddle board, or canoe. Works for both end and side carry handles. Includes nylon end caps. Constructed of nylon webbing with an injection molded nylon handle. Installs with two #10 RH fasteners (not included) or on an inflatable boat with use of the proper adhesive.



#### **GRAB HANDLE**

Bulk

227462

Injection Molded Nylon/PVC Coated



Bulk	Display	A	В	C	D	E	Color	Fastener	Wt.(lb.)	Std. Pack
227560	227560-1	9-3/4"	7-1/4"	2-1/2"	1-3/4"	6-1/4"	Black	#10 FH	.40	5 ea
227561	227561-1	9-3/4"	7-1/4"	2-1/2"	1-3/4"	6-1/4"	White	#10 FH	.40	5 ea

Soft Grip Handle with concealed fasteners. Constructed of injection molded nylon with PVC coating. Installs with two #10 FH fasteners (included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

11-1/2

10'



#### **SLAM LATCH**

Injection Molded Nylon / Stainless Steel

A	
$\bigcirc$	

Bulk	Display	Α	В	Cutout Hole	Color	Fastener	Wt.(lb.)	Std. Pack
228120	228120-1	2-7/16"	1-1/2"	2"	White	#12 RH	.11	5 ea
228125	228125-1	2-7/16"	1-1/2"	2"	Black	#12 RH	.11	5 ea

These Slam Latches feature push-to-close functionality. Activated by the shutting or slamming of a door, they are designed so that a spring inside automatically retracts the latch, engaging the keeper and retaining the cover against the frame. Fast and easy to use, this latch features a recessed, rattle-free, spring loaded handle for quick access. Constructed of UV resistant injection molded nylon. Easy to install by simply inserting the latch body through a single round 2" cutout and screwing on the back plate. Includes hardware to mount latch. Keeper plate installs with two #12 RH fasteners (not included).



Steering Wheel Maneuvering Knob fits our Sea-Dog® Steering Wheels (230111, 230115, 230211, 230212, and 230215). Attaches to the wheel for use in situations where maneuvering is excessive, allowing the driver to turn the steering wheel more quickly. Constructed of investment cast 316 stainless steel. Fits 1" x 3/4" oval tubing.



Fits our Sea-Dog® Steering Wheels (230111, 230115, 230211, 230212, and 230215). Attaches to the wheel for use in situations where maneuvering is excessive, allowing the driver to turn the steering wheel more quickly. Direct replacement for knobs installed on 230323 and 230325 wheels. Constructed of investment cast 316 stainless steel. Fits 1" x 3/4" oval tubing.





STEERING WHEEL Formed 304 Stainless Steel

**STEERING WHEEL** Formed 304 Stainless Steel

Bulk	Display	# of Spokes	Cap	A	В	C	D	NMMA Type Accepted #	Wt.(lb.)	Std. Pack
230111	n/a	5	Teak	15-1/8"	3/4"	3-1/2"	10°	2456120	3.69	5 ea
230115	n/a	6	Plastic	15-1/8"	3/4"	3-1/2"	10°	2456121	3.69	5 ea
230211	n/a	5	Plastic	11"	3/4"	3-1/2"	25°	2456122	2.89	5 ea
230215	n/a	6	Plastic	15-1/8"	3/4"	3-1/2"	25°	2456123	3.69	5 ea
230101	230101-1		Black pla	astic replac	cement c	ар			.10	5 ea
230102	230102-1		Teak rep	lacement c	ар	•			.09	5 ea

These Steering Wheels feature either a 5-spoke or 6-spoke design with a 10° or 25° dish and a decorative cap. All wheels fit a standard 3/4" tapered shaft. Constructed of corrosion resistant formed 304 stainless steel with teak (pictured) or plastic cap.



V										
Bulk	Display	# of Spokes	Cap	A	В	C	D	NMMA Type Accepted #	Wt.(lb.)	Std. Pack
230212	n/a	5	Plastic	12"	3/4"	3-1/2"	25°	2539244	2.95	5 ea
230101	230101-1	Black plastic	replacem	ent cap					.10	5 ea
230102	230102-1	Teak replace	ment cap		-				.09	5 ea

These Steering Wheels feature a 5-spoke design and 25° dish. Fits standard 3/4" tapered shafts. Constructed of corrosion resistant formed 304 stainless steel.



These Steering Wheels feature a 5-spoke design with a 25° dish. Fits standard 3/4" tapered shafts. Constructed of corrosion resistant formed 304 stainless steel with foam covering.

#### ▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### STEERING WHEEL

Formed 304 Stainless Steel With Foam Covering

Bulk	Display	# of Spokes	Cap	A	В	C	D	NMMA Type Accepted #	Wt.(lb.)	Std. Pack
230216	n/a	6	Plastic	15"	3/4"	3-1/2"	25°	2456124	3.69	5 ea
230217	n/a	5	Plastic	15"	3/4"	3-1/2"	25°	2456125	3.69	5 ea
230101	230101-1	Black plastic	replaceme	ent cap	······		••••		.10	5 ea
230102	230102-1	Teak replace		•			•••••	•	.09	5 ea

These Steering Wheels feature a 5-spoke or 6-spoke design with a 25° dish. Fits standard 3/4" tapered shafts. Constructed of corrosion resistant formed 304 stainless steel with foam covering.







#### STEERING WHEEL WITH INTEGRAL KNOB

Formed 304 Stainless Steel



Sea-Dog.com

Bulk	Display	# of Spokes	Cap	Α	В	C	D	Wt.(lb.)	Std. Pack
230323	n/a	3	Stainless	13-1/2"	3/4"	3-1/2"	25°	3.65	5 ea
230325	n/a	3	Stainless	15-1/2"	3/4"	3-1/2"	25°	3.88	5 ea
230303	n/a		Stainless re	placement ca	p			.36	5 ea

These Steering Wheels feature a 3-spoke design with a 25° dish angle, and an integral knob. A steering knob attaches to the wheel for use in situations where maneuvering is excessive, allowing the driver to turn the steering wheel more quickly. Fits standard 3/4" tapered shafts. Constructed of corrosion resistant formed 304 stainless steel.

	<b>FUNCTIO</b>	-	CONTROL					
Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
232300	n/a	8-1/2"	6-5/16"	5-5/16"	3-1/8"	#10 FH	4.48	1 ea
n/a	232318-1	Replacemer	nt Knob (Red)				.06	5 ea
n/a	232319-1	Ponlacomor	nt Knob (Black)		-		.06	5 ea

This classic Single Function Engine Control is ideal for inboard, stern drive, and outboard engines. One lever controls either throttle or shift functions. Meets ABYC engine control standards P-14. Constructed of chrome plated sand cast brass. Top mount with four #10 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### **DUAL FUNCTION ENGINE CONTROL**

Sand Cast Brass Chrome Plated



Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
232310	n/a	8-1/2"	6-3/8"	5-1/2"	4-1/4"	#10 FH	7.33	1 ea
232320	n/a	2nd Control	Kit				.26	1 ea
n/a	232318-1	Replacemen	t Knob (Red)				.06	5 ea
n/a	232319-1	Replacemen	t Knob (Black)	-		-	.06	5 ea

This Dual Function Engine Control works in both single and dual helm station applications. Ideal for inboard, stern drive, and outboard engines. The twin levers allow one handle to control the shift and the other to control the throttle. Requires 2nd Control Kit 232320 (pictured below) for use in dual station applications. Meets ABYC engine control standards P-14. Constructed of chrome plated sand cast brass. Top mount with four #10 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



#### SINGLE FUNCTION ENGINE CONTROL

Investment Cast 316 Stainless Steel





Bulk	Display	A	В	C	D	Fastener	Wt.(lb.)	Std. Pack
232350	n/a	7"	6-1/2"	5-1/4"	3-1/4"	#10 FH	3.30	1 ea
n/a	232378-1	Replaceme	ent Knob (Red)				.08	5 ea
n/a	232379-1	Replaceme	ent Knob (Black)				.09	5 ea

This Single Function Engine Control is ideal for inboard, stern drive, and outboard engines. One lever controls either throttle or shift functions. Meets ABYC engine control standards P-14. Constructed of corrosion resistant investment cast 316 stainless steel. Top mount with four #10 FH fasteners (not included).



Chapter 4: Cabinet Hardware

94



Bulk

232360

232320

## DUAL FUNCTION ENGINE CONTROL

Fastener

#10 FH

Investment Cast 316 Stainless Steel

Wt.(lb.)

5.00

.26

.08

.09

Std. Pack

1 ea

1 ea

5 ea

5 ea





Displa

n/a

n/a

This Dual Function Engine Control works in both single and dual helm station applications. Ideal for inboard, stern drive, and outboard engines. The twin levers allow one handle to control the shift and the other to control the throttle. Requires 2nd Control Kit 232320 (pictured below) for use in dual station applications. Meets ABYC engine control standards P-14. Constructed of corrosion resistant investment cast 316 stainless steel. Top mount with four #10 FH fasteners (not included).

D

4-1/4"

C

5-1/4"

6-1/2"

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

7"

2nd Control Kit



6.)

# SEADOGLITE SOLUTIONS

## BOAT HOOK HULL SCRAPER 491108-1

Can be attached to any Sea-Dog<sup>®</sup> Boat Hook or universal/Acme threaded device.

Great for waterline cleaning from inside the vessel.

HOSE KLIP<sup>™</sup> 357393, 357393-1, & 357393-5

Want to keep your water hose from flying out of your 1-1/2" deck fill and spraying water all over your boat and deck?

The Hose Klip<sup>™</sup> is the solution!

## **EMERGENCY DECK FILL PLUG** 357390, 357390-1, & 357390-5

Lost your gas, waste, or water cap?

The Emergency Deck Fill Plug is a quick and inexpensive solution for lost deck fill caps. Fits almost all 1-1/2" deck fills including gas, diesel, water, and waste. The special Nitrile-Buna rubber is gas, oil, and diesel resistant. For temporary use only.

## **EMERGENCY GARBOARD PLUG** 520059, 520059-1, & 520059-5

Want a safe place to keep a spare garboard plug?

Our lightweight Emergency Garboard Plug is the perfect solution! It attaches to your key chain for an always-on-hand replacement. For temporary use only.

# SEA-DOG.COM

INOVATION